**कुमार कमलेश,**
**अपर मुख्य सचिव**

**अ0शा0प0सं0-**37/2020/216/35-1-2020/
एक्स-61/दी0यो0प्र0/2020
**नियोजन, कार्यक्रम कार्यान्वयन तथा**
**विज्ञान एवं प्रौद्योगिकी विभाग**
**उत्तर प्रदेश शासन,**
**209, योजना भवन, लखनऊ**
**(0522) 2238973 / 2238467**
**(0522) 2238967 (फैक्स)**

**दिनांक- 15 जून, 2020**

आप अवगत हैं कि यूनाइटेड नेशंस द्वारा एसडीजी एजेंडा 2030 के अंतर्गत 17 गोल्स एवं 169 टारगेट्स निर्धारित किए गए हैं। इन गोल्स एवं टारगेट्स के प्रभावी अनुश्रवण हेतु सांख्यिकी एवं कार्यक्रम कार्यान्वयन मंत्रालय (मॉस्पी), भारत सरकार द्वारा "नेशनल इंडिकेटर फ्रेमवर्क बेसलाइन रिपोर्ट, 2015-16" निर्गत की गई थी, जिसमें 16 गोल्स (गोल संख्या-17 को छोड़कर) के अनुश्रवण हेतु 306 नेशनल इंडिकेटर फ्रेमवर्क (एनआईएफ) विकसित किया गया था। इन्हीं 306 नेशनल इंडीकेटर्स के आधार पर केंद्र सरकार/राज्य सरकार द्वारा एसडीजी का अनुश्रवण किया जा रहा था। सांख्यिकी एवं कार्यक्रम कार्यान्वयन मंत्रालय (मॉस्पी), भारत सरकार द्वारा अब "एसडीजी नेशनल इंडिकेटर फ्रेमवर्क प्रोग्रेस रिपोर्ट, 2020" 31 मार्च, 2020 में निर्गत की गई है, जोकि मॉस्पी की वेबसाइट www.mospi.gov.in एवं नियोजन विभाग, उत्तर प्रदेश शासन की वेबसाइट www.planning.up.nic.in पर भी उपलब्ध है। नियोजन विभाग द्वारा दिनाँक 03 अप्रैल, 2020 को ईमेल के माध्यम से आपको प्रेषित भी कर दी गयी है। इस रिपोर्ट को उक्त लिंक से डाउनलोड भी किया जा सकता है।

मॉस्पी द्वारा पूर्व में निर्गत बेसलाइन रिपोर्ट, 2015-16 में आवश्यकतानुसार कतिपय संशोधन करते हुए 306 नेशनल इंडिकेटर्स के स्थान पर एसडीजी नेशनल इंडिकेटर फ्रेमवर्क प्रोग्रेस रिपोर्ट, 2020 में गोल संख्या-17 (11 इंडिकेटर्स) को सम्मिलित करते हुए कुल 297 इंडिकेटर्स का संशोधित नेशनल इंडिकेटर फ्रेमवर्क विकसित किया गया है जिसकी गोलवाइज फाँट (Distribution) संलग्नक-1 पर उपलब्ध है।

पूर्व में निर्गत इंडीकेटर्स फ्रेमवर्क में गोल संख्या-3 (उत्तम स्वास्थ्य और खुशहाली) हेतु निर्धारित 41 इंडिकेटर्स के सापेक्ष "एसडीजी नेशनल इंडिकेटर फ्रेमवर्क प्रोग्रेस रिपोर्ट, 2020" में 42 इंडिकेटर्स निर्धारित किए गए हैं। इन 42 इंडीकेटर्स के सापेक्ष 40 इंडिकेटर्स पर राष्ट्रीय स्तर के आँकड़े जबकि 25 इंडिकेटर्स पर राज्य स्तरीय डाटा उपलब्ध है, जिनका टारगेटवाइज़ एवं इंडिकेटरवाइज़ तथा डाटा सोर्सवाइज़ विवरण संलग्नक-2 पर उपलब्ध है।

अत: अनुरोध है कि कृपया उक्त प्रोग्रेस रिपोर्ट,-2020 में गोल संख्या-3 से संबंधित इंडीकेटर्स की प्रदर्शित वैल्यू का विभाग द्वारा पुनर्विलोकन करा लिया जाए तथा जिन इंडीकेटर्स पर सूचनाएं अपूर्ण हैं उन्हें यथाशीघ्र पूर्ण करते हुए वर्ष 2019-20 तक की सूचनाएं अपडेट करा दी जाएं। यदि इस प्रोग्रेस रिपोर्ट, 2020 की सूचनाओं में कोई अपडेशन/अपग्रेडेशन आवश्यक हो तो रिपोर्ट, में दर्शाए गए सोर्स पर अपलोड कराते हुए मॉस्पी से समन्वय स्थापित कर तद्नुसार संशोधित करवाने का कष्ट करें एवं वस्तुस्थिति से नियोजन विभाग को अवगत कराने का कष्ट करें।

भवदीय,

( कुमार कमलेश )

श्री अमित मोहन प्रसाद,
प्रमुख सचिव,
चिकित्सा स्वास्थ्य एवं परिवार कल्याण विभाग, उ0प्र0 शासन।

**पत्रांक एवं दिनांक यथोक्त।**
**प्रतिलिपि निम्नलिखित को सूचनार्थः**
1- प्रमुख सचिव, मा0 मुख्यमंत्री, उ0प्र0शासन।
2- स्टाफ आफीसर, मुख्य सचिव, उ0प्र0शासन।

Addition – 1

The goal-wise distribution of NIF (original as well as revised) is shown in the following table:

| Goal | Number of indicators in NIF (Original) | Number of indicators in NIF (Revised) | Values available at National level | State value is available | No of Indictors dropped | No of Indicators added |
|---|---|---|---|---|---|---|
| Goal 1: No Poverty | 19 | 22 | 19 | 14 | 0 | 3 |
| Goal 2: Zero Hunger | 19 | 19 | 18 | 10 | 0 | 0 |
| Goal 3: Good Health & Well Being | 41 | 42 | 40 | 25 | 0 | 1 |
| Goal 4: Quality Education | 20 | 19 | 14 | 12 | 1 | 0 |
| Goal 5: Gender Equality | 29 | 28 | 24 | 17 | 1 | 0 |
| Goal 6: Clean Water & Sanitation | 19 | 17 | 10 | 8 | 2 | 0 |
| Goal 7: Affordable & Clean Energy | 5 | 4 | 4 | 1 | 1 | 0 |
| Goal 8: Decent Work & Economic Growth | 40 | 32 | 27 | 19 | 8 | 0 |
| Goal 9: Industry, Innovation & Infrastructure | 18 | 16 | 14 | 3 | 2 | 0 |
| Goal 10: Reduced Inequalities | 7 | 8 | 8 | 3 | 0 | 1 |
| Goal 11: Sustainable Cities & Communities | 16 | 15 | 8 | 0 | 4 | 3 |
| Goal 12: Sustainable Consumption & Production | 17 | 14 | 3 | 1 | 3 | 0 |
| Goal 13: Climate Action | 4 | 5 | 3 | 0 | 0 | 1 |
| **Goal 14: Life Below Water** | **13** | **11** | *not applicable for Uttar Pradesh* | | | |
| Goal 15: Life on Land | 21 | 15 | 12 | 6 | 6 | 0 |
| Goal 16: Peace, Justice & Strong Institutions | 18 | 19 | 19 | 14 | 0 | 1 |
| Goal 17: Partnerships | 0 | 11 | 6 | 0 | 0 | 11 |
| Total | 306 | 297 | 223 | 133 | 28 | 21 |
| Total(without goal-14) | 293 | 286 | 223 | 133 | 28 | 21 |

# Goal 3: Ensure healthy lives and promote well-being for all at all ages

Goal 3 aims to address the various emerging health issues of the ever-changing world. A total of 42 indicators have been identified at national level to measure and monitor the progress of these targets and data is available for 40 indicators.

| Number of indicators in NIF (Original) | Number of indicators in NIF (Revised) | Values available at National level | State value is available |
|---|---|---|---|
| 41 | 42 | 40 | 25 |

| SL | NATIONAL INDICATOR | VALUE OF THE INDICATOR | | |
|---|---|---|---|---|
| | | India | | Uttar Pradesh |
| **Target 3.1: By 2030, reduce the global maternal mortality ratio to less than 70 per 1,00,000 live births** | | | | |
| 1 | 3.1.1: Maternal Mortality Ratio, (per 1,00,000 live birth) *Source: Office of Registrar General of India, Ministry of Home Affairs /Periodicity: Annual* | **Year** | **Value** | |
| | | 2014-16 | 130 | 201 |
| | | 2015-17 | 122 | 216 |
| 2 | 3.1.2: Percentage of births attended by skilled health personnel (Period 5 years),2015-16 *Source: Ministry of Health and Family Welfare (National Family Health Survey / Periodicity: 3 Years* | 81.40 | | 70.40 |
| 3 | 3.1.3: Percentage of births attended by skilled health personnel (Period 1 year), 2015-16 *Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years* | 84.40 | | 75.10 |
| 4 | 3.1.4: Percentage of women aged 15-49 years with a live birth, for last birth, who received antenatal care, four times or more (Period 5 years/1 year), 2015-16 (in percentage) *Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years* | 51.20 (5 years) | | 26.40 |
| **Target 3.2: By 2030, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least as low as 12 per 1,000 live births and under-5 mortality to at least as low as 25 per 1,000 live births** | | | | |
| 1 | 3.2.1: Under-five mortality rate, (per 1,000 live births) *Source: Sample Registration System (SRS), ORGI, Ministry of Home Affairs /Periodicity: Annual* | **Year** | **Value** | |
| | | 2015 | 43 | 51 |
| | | 2016 | 39 | 47 |
| | | 2017 | 37 | 46 |
| 2 | 3.2.2: Neonatal mortality rate (per 1,000 live births) *Source: Sample Registration System (SRS), ORGI, Ministry of Home Affairs /Periodicity: Annual* | **Year** | **Value** | |
| | | 2015 | 25 | 31 |
| | | 2016 | 24 | 30 |
| | | 2017 | 23 | 30 |

| SL | NATIONAL INDICATOR | VALUE OF THE INDICATOR | | |
|---|---|---|---|---|
| | | India | | Uttar Pradesh |
| 3 | 3.2.3: Percentage of children aged 12-23 months fully immunized (BCG, Measles and three doses of Pentavalent vaccine), 2015-16<br>*Source: Ministry of Health and Family Welfare (National Family Health Survey / Periodicity: 3 Years* | 62.0 | | 51.50 |
| **Target 3.3: By 2030, end the epidemics of AIDS, tuberculosis, malaria and neglected tropical diseases and combat hepatitis, waterborne diseases and other communicable diseases** | | | | |
| 1 | 3.3.1: Number of new HIV infections per 1,000 uninfected population<br>*Source: Ministry of Health and Family Welfare (National AIDS Control Organization / Periodicity: 2 Years* | **Year** | **Value** | |
| | | 2015 | 0.08 | 0.04 |
| | | 2017 | 0.07 | 0.03 |
| 2 | 3.3.2: Tuberculosis incidence per 1,00,000 population<br>*Source: Ministry of Health and Family Welfare (WHO's Global TB Report) /Periodicity: Annual* | **Year** | **Value** | |
| | | 2015 | 217 | |
| | | 2017 | 204 | |
| 3 | 3.3.3: Malaria incidence per 1,000 population<br>*Source: Ministry of Health and Family Welfare/ Directorate of National Vector Borne Disease Control Programme (DGHS) / Periodicity: Annual* | **Year** | **Value** | |
| | | 2015 | 0.92 | |
| | | 2016 | 0.85 | |
| | | 2017 | 0.64 | |
| | | 2018 | 0.32 | |
| 4 | 3.3.4: Prevalence of Viral Hepatitis A per 1,00,000 population<br>*Source: Ministry of Health and Family Welfare / Periodicity: Annual* | *Under compilation* | | |
| 5 | 3.3.5: Dengue: Case Fatality Ratio, (in percentage)<br>*Source: Ministry of Health and Family Welfare/ Directorate of National Vector Borne Disease Control Programme (DGHS) / Periodicity: Annual* | **Year** | **Value** | |
| | | 2015 | 0.20 | |
| | | 2016 | 0.20 | |
| | | 2017 | 0.20 | |
| | | 2018 | 0.20 | |
| 6 | 3.3.6: Number of Chikungunya cases<br>*Source: Ministry of Health and Family Welfare/ Directorate of National Vector Borne Disease Control Programme (DGHS) / Periodicity: Annual* | **Year** | **Value** | |
| | | 2015 | 27,553 | |
| | | 2016 | 64,057 | |
| | | 2017 | 67,769 | |
| | | 2018 | 57,813 | |
| 7 | 3.3.7: Number of new cases of Kalaazar/ V Leishmaniasis<br>*Source: Ministry of Health and Family Welfare/ Directorate of National Vector Borne Disease Control Programme (DGHS) / Periodicity: Annual* | **Year** | **Value** | |
| | | 2015 | 8,500 | |
| | | 2016 | 6,249 | |
| | | 2017 | 5,758 | |
| | | 2018 | 4,380 | |
| 8 | 3.3.8: Number of new cases of Lymphatic Filariasis (LF)<br>*Source: Ministry of Health and Family Welfare / Periodicity: Annual* | **Year** | **Value** | |
| | | 2015 | 12,21,191 | |
| | | 2016 | 16,746 | |
| | | 2017 | 6,979 | |
| | | 2018 | 26,324 | |
| 9 | 3.3.9: Proportion of grade-2 cases amongst new cases of Leprosy, (in percentage)<br>*Source: Ministry of Health and Family Welfare / Periodicity: Annual* | **Year** | **Value** | |
| | | 2015 | 4.60 | 3.89 |
| | | 2016 | 3.74 | 1.94 |
| 10 | 3.3.10: HIV Prevalence Rate (in percentage)<br>*Source: Ministry of Health and Family Welfare (National AIDS Control Organisation / Periodicity: 2 Years* | **Year** | **Value** | |
| | | 2015 | 0.23 | 0.09 |
| | | 2016 | 0.22 | 0.09 |
| **Target 3.4: By 2030, reduce by one third premature mortality from non-communicable diseases through prevention and treatment and promote mental health and wellbeing** | | | | |

| SL | NATIONAL INDICATOR | VALUE OF THE INDICATOR | | |
|---|---|---|---|---|
| | | India | | Uttar Pradesh |
| 1 | 3.4.1: Number of deaths due to cancer<br>*Source: Ministry of Health and Family Welfare / Periodicity: Annual* | *Under compilation* | | |
| 2 | 3.4.2: Suicide mortality rate, (per 1,00,000 population)<br>*Source: (a) Numerator: National Crime Records Bureau (b) Denominator: Office of Registrar General of India, Ministry of Home Affairs / Periodicity: Annual* | **Year** | **Value** | |
| | | 2015 | 10.6 | 1.8 |
| | | 2016 | 10.2 | 1.6 |
| | | 2017 | 9.9 | 2.0 |
| | | 2018 | 10.2 | 2.2 |
| 3 | 3.4.3: Percentage distribution of leading cause groups of deaths<br>*Source: Office of Registrar General of India, Ministry of Home Affairs /Periodicity: Annual* | **Year** | **Value** | |
| | | 2015 | 22 | - |
| | | 2016 | 19 | 9.6 |
| | | 2017 | 22 | 8.6 |
| **Target 3.5: Strengthen the prevention and treatment of substance abuse, including narcotic drug abuse and harmful use of alcohol** | | | | |
| 1 | 3.5.1: Percentage of population (men (15-49 years) & women (15 - 49 years) who drink alcohol about once a week out of total population (men (15-49 years) & women (15 - 49 years)) who drink alcohol, 2015-16 (in percentage)<br>*Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years* | a) 40.7 (Male)<br>b) 35.0 (Female) | | a) 29.2 (Male)<br>b) 37.7 (Female) |
| 2 | 3.5.2: Number of persons treated in de-addiction centres<br>*Source: Ministry of Social Justice and Empowerment/ Department of Social Justice and Empowerment / Periodicity: Annual* | **Year** | **Value** | |
| | | 2015-16 | 1,46,124 | 5535 |
| | | 2016-17 | 1,14,759 | 7011 |
| | | 2017-18 | 1,00,737 | 6642 |
| 3 | 3.5.3: Percentage of population (men (15-54 years) and women (15-49 years)) who consume alcohol, 2015-16<br>*Source: Ministry of Health and Family Welfare/ Department of Health and Family Welfare / Periodicity: 3 Years* | a) 29.5 (Male)<br>b) 1.2 (Female) | | a) 22.30 (Male)<br>b) 0.10 (Female) |
| **Target 3.6: By 2020, halve the number of global deaths and injuries from road traffic accidents** | | | | |
| 1 | 3.6.1: People killed/injured in road accidents (per 1,00,000 population) (similar to 11.2.2)<br>*Source: (a) Numerator: National Crime Records Bureau (b) Denominator: Office of Registrar General of India, MHA / Periodicity: Annual* | **Year** | **Death Rate** | **Injury Rate** | **Death Rate** | **Injury Rate** |
| | | 2015 | 11.81 | 38.31 | 8.53 | 8.05 |
| | | 2016 | 11.77 | 37.64 | 8.76 | 9.22 |
| | | 2017 | 11.46 | 34.85 | 9.44 | 9.82 |
| | | 2018 | 11.54 | 33.74 | 10.11 | 10.01 |
| **Target 3.7: By 2030, ensure universal access to sexual and reproductive health-care services, including for family planning, information and education, and the integration of reproductive health into national strategies and programmes** | | | | |
| 1 | 3.7.1: Percentage of currently married women (15-49 years) who use any modern family planning methods, 2015-16 (similar to Indicator 3.8.1 and 5.6.1)<br>*Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years* | 47.70 | | 31.70 |
| 2 | 3.7.2: Percentage of women aged 15-19 years who were already mothers or pregnant, 2015-16<br>*Source: Ministry of Health and Family Welfare (National Family Health Survey / Periodicity: 3 Years* | 7.90 | | 3.8 |
| 3 | 3.7.3: Percentage of Institutional Births (5 years/1 years), 2015-16<br>*Source: Ministry of Health and Family Welfare (National Family Health Survey) /Periodicity: 3 Years* | a) 78.9 (during last 5 years)<br>b) 82.6 (during last 1 year) | | a) 67.8 (during last 5 years)<br>b) 73.2 (during last 1 year) |
| 4 | 3.7.4: Percentage of currently married women aged 15-49 years who have their need for family planning satisfied with modern methods, 2015-16 | 71.90 | | |

| SL | NATIONAL INDICATOR | VALUE OF THE INDICATOR | | |
|---|---|---|---|---|
| | | India | | Uttar Pradesh |
| | *Source: Ministry of Health and Family Welfare (National Family Health Survey) /Periodicity: 3 Years* | | | |
| **Target 3.8: Achieve universal health coverage, including financial risk protection, access to quality essential health-care services and access to safe, effective, quality and affordable essential medicines and vaccines for all** | | | | |
| 1 | 3.8.1: Percentage of currently married women (15-49 years) who use any modern family planning methods, 2015-16 (similar to Indicator 3.7.1 and 5.6.1)<br>*Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years* | 47.70 | | |
| 2 | 3.8.2: Percentage of TB cases successfully treated (cured plus treatment completed) among TB cases notified to the national health authorities during a specified period<br>*Source: Ministry of Health and Family Welfare (Revised National Tuberculosis Control Programme, NIKSHAY) / Periodicity: Annual* | **Year** | **Value** | |
| | | 2015 | 67.00 | |
| | | 2017 | 65.30 | |
| 3 | 3.8.3: Percentage of people living with HIV currently receiving ART among the detected number of adults and children living with HIV<br>*Source: Ministry of Health and Family Welfare (National Family Health Survey) /Periodicity: 2 Years* | **Year** | **Value** | |
| | | 2015-16 | 62 | 62 |
| | | 2016-17 | 70 | 73 |
| | | 2017-18 | 82 | 82 |
| 4 | 3.8.4: Prevalence of hypertension among men and women age 15-49 years, 2015-16 (in percentage)<br>*Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years* | a) 11.0 (Male)<br>b) 14.8 (Female) | | a) 16.8 (Male)<br>b) 23.6 (Female) |
| 5 | 3.8.5: Percentage of population in age group 15-49 who reported sought treatment out of total population in that age group having diabetes, 2015-16<br>*Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years* | a) 72.50 (Male)<br>b) 81.30 (Female) | | |
| 6 | 3.8.6: Percentage of women aged 15-49 who have ever undergone Cervix examinations, 2015-16<br>*Source: Ministry of Health and Family Welfare (National Family Health Survey) /Periodicity: 3 Years* | 22.3 | | 13 |
| 7 | 3.8.7: Percentage of women aged 15-49 years and men aged 15-49 years with use of any kind of tobacco, in percentage (similar to 3.a.1)<br>*Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years* | a) 44.50 (Male)<br>b) 6.80 (Female) | | a) 17.60 (Male)<br>b) 1.30 (Female) |
| 8 | 3.8.8: Total physicians, nurses and midwives per 10,000 population, (similar to Indicator 3.c.1)<br>*Source: (a) Numerator: 1. Physicians - Medical Council of India 2. AYUSH registered practitioners - M/o AYUSH 3. Nurses and Midwives - Nursing Council of India (b) Denominator: Census of India, Office of Registrar General of India, Ministry of Home Affairs / Periodicity: Annual* | **Year** | **Value** | |
| | | 2015 | 35.8 | |
| | | 2016 | 36.4 | |
| **Target 3.9: By 2030, substantially reduce the number of deaths and illnesses from hazardous chemicals and air, water and soil pollution and contamination** | | | | |
| 1 | 3.9.1: Mortality rate attributed to unintentional poisoning, (per 1,00,000 population)<br>*Source: (a) Numerator: National Crime Records Bureau (b) Denominator: Office of Registrar General of India, Ministry of Home Affairs / Periodicity: Annual* | **Year** | **Value** | |
| | | 2015 | 2.10 | 0.40 |
| | | 2016 | 1.81 | 0.34 |
| | | 2017 | 1.59 | 0.47 |
| | | 2018 | 1.64 | 0.37 |

| SL | NATIONAL INDICATOR | VALUE OF THE INDICATOR | |
|---|---|---|---|
| | | India | Uttar Pradesh |
| 2 | 3.9.2: Proportion of men and women reporting Asthma in the age group (aged 15-49 years), 2015-16 (in percentage) *Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 years* | a) 1.20 (Male)<br>b) 1.90 (Female) | a) 1.00 (Male)<br>b) 1.20 (Female) |
| **Target 3.a: Strengthen the implementation of the World Health Organization Framework Convention on Tobacco Control in all countries, as appropriate** | | | |
| 1 | 3.a.1: Percentage of women aged 15-49 years and men aged 15-49 years who use any kind of tobacco, 2015-16 (similar to 3.8.7) *Source: Ministry of Health and Family Welfare (National Family Health Survey) / Periodicity: 3 Years* | a) 44.50 (Male)<br>b) 6.80 (Female) | |
| **Target 3.b: Support the research and development of vaccines and medicines for the communicable and non-communicable diseases that primarily affect developing countries, provide access to affordable essential medicines and vaccines, in accordance with the Doha Declaration on the TRIPS Agreement and Public Health, which affirms the right of developing countries to use to the full the provisions in the Agreement on Trade-Related Aspects of Intellectual Property Rights regarding flexibilities to protect public health, and, in particular, provide access to medicines for all** | | | |
| 1 | 3.b.1: Budgetary allocation for Department of Health Research, (in Rs. crore) *Source: Ministry of Health and Family Welfare / Periodicity: Annual* | **Year** | **Value** |
| | | 2015-16 | 1018 |
| | | 2016-17 | 1115 |
| | | 2017-18 | 1500 |
| | | 2018-19 | 1800 |
| | | 2019-20 | 1900 |
| **Target 3.c: Substantially increase health financing and the recruitment, development, training and retention of the health workforce in developing countries, especially in least developed countries and small island developing States** | | | |
| 1 | 3.c.1: Total physicians, nurses and midwives per 10,000 population, in percentage (similar to Indicator 3.8.8) *Source: (a) Numerator: 1. Physicians - Medical Council of India 2. AYUSH registered practitioners - M/o AYUSH 3. Nurses - Nursing Council of India 4. Midwives – Nursing Council of India (b) Denominator: Census of India, Office of Registrar General of India, Ministry of Home Affairs / Periodicity: Annual* | **Year** | **Value** |
| | | 2015 | 35.8 |
| | | 2016 | 36.4 |
| 2 | 3.c.2: Percentage of government spending (including current and capital expenditure) in health sector to GDP *Source: National Accounts Division, NSO, MoSPI / Periodicity: Annual* | **Year** | **Value** |
| | | 2015-16 | 1.19 |
| | | 2016-17 | 1.17 |
| | | 2017-18 | 1.33 |
| **Target 3.d: Strengthen the capacity of all countries, in particular developing countries, for early warning, risk reduction and management of national and global health risks** | | | |
| | National Indicator is under development | | |

1- यह शासनादेश इलेक्ट्रानिकली जारी किया गया है, अत: इस पर हस्ताक्षर की आवश्यकता नही है ।
2- इस शासनादेश की प्रमाणिकता वेब साइट http://shasanadesh.up.gov.in से सत्यापित की जा सकती है ।